

SECTION 1: Identification

1.1. Product identifier

Product name : Seal Coat SF50 / Seal Coat SF100 / Seal Coat SF150/ Seal Coat SF

Product code : Not available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Polymer modified cementitious waterproofing membrane

1.3. Details of the supplier of the safety data sheet

Penetron International, Ltd.
45 Research Way, Suite 203
East Setauket, New York 11733 - USA
T +1 (631) 941-9700
info@penetron.com - penetron.com

1.4. Emergency telephone number

Emergency number : (Chemtrec): US and Canada: 1-800-424-9300; International +1 703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified.

2.2. Label elements

GHS-US labeling

No labeling applicable.

2.3. Other hazards

No additional information available.

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/Information on ingredients

3.1. Substance

Not applicable.

3.2. Mixture

Name	Product identifier	%
None by OSHA HazCom 2012 criteria		

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

Seal Coat System Part A

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Foam. Water. Extinguishing media.
Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon, hydrocarbons and nitrogen oxides.

5.3. Advice for firefighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Keep unnecessary personnel away from the release.

6.2. Methods and material for containment and cleaning up

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container.

6.3. Reference to other sections

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Keep only in original container. Store in a dry, cool and well-ventilated place. Store at temperatures between 41-95°F (5-35°C). Do not allow to freeze. Protect from sunlight. Keep away from food and drink. In storage, product must not come in contact with any metal that is unprotected from corrosion or non-ferrous metals.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available.

8.2. Exposure controls

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Hand protection : Protective gloves made of rubber or PVC.

Eye protection : Safety glasses or goggles are recommended when using product.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

Other information : Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Milky-white liquid

Color : White

Odor : Mild Sweet Acrylic

Seal Coat System Part A

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Odor threshold	: No data available
pH	: 7.5 - 9.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 392 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: 23 mbar
Relative density	: 1.0-1.06 kg/l
Relative vapor density at 20 °C	: No data available
Solubility	: Miscible
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Heat. Incompatible materials. Moisture.

10.5. Incompatible materials

Metallic salts.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrocarbons and nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Seal Coat System Part A	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	> 20 mg/l/4h

Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitization	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met.
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met.

Seal Coat System Part A

Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Aspiration hazard	: Based on available data, the classification criteria are not met.
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: May cause long-term adverse effects in the aquatic environment.
-------------------	---

12.2. Persistence and degradability

No additional information available.

12.3. Bioaccumulative potential

No additional information available.

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Effect on the global warming	: No known ecological damage caused by this product.
------------------------------	--

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.
--------------------------------	---

SECTION 14: Transport information

14.1. Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

14.2. Additional information

Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

Name	Product identifier
Mixture, 3(2H)-isothiazolone, 5-chloro-2-methyl- with 2-methyl-3(2H)-isothiazolone	CAS No 55965-84-9

15.2. US State regulations

Seal Coat System Part A	
State or local regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

SECTION 16: Other information

Date of issue	: 09/14/2018
Revision date	: 09/14/2018
Other information	: None

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Seal Coat System Part B

Safety Data Sheet

according to the Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012.

Date of issue: 06/17/2007 Revision date: 05/03/2017 Version: K02

SECTION 1: Identification

1.1. Product identifier

Product name : Seal Coat SF50 / Seal Coat SF100 / Seal Coat SF150/ Seal Coat SF
Product code : Not available.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Polymer modified cementitious waterproofing membrane

1.3. Details of the supplier of the safety data sheet

Penetron International, Ltd.
45 Research Way, Suite 203
East Setauket, New York 11733 – USA
T +1 (631) 941-9700
info@penetron.com - penetron.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: US and Canada: 1-800-424-9300; International +1 703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin corrosion/irritation 2
Serious eye damage/eye irritation 2A
Skin sensitization 1
Carcinogenicity 1A
Specific Target Organ Toxicity - Single Exposure 3
Specific Target Organ Toxicity - Repeated Exposure 1

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



GHS07



GHS08

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS-US) :

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. IF exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first-aid instructions on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water and soap. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container to an approved waste disposal plant.

2.3. Unknown toxicity (GHS-US)

100 % of the mixture consists of ingredient(s) of unknown toxicity

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable.

3.2. Mixture

Name	Product identifier	%
Quartz	(Cas No) 14808-60-7	45-55
Cement, portland, chemicals	(Cas No) 65997-15-1	30-50

* The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Seal Coat System Part B

Safety Data Sheet

according to the Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012.

SECTION 4: First-aid measures

4.1. Description of first-aid measures

- General advice : Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.
- First-aid measures after skin contact : May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
- First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.
- First-aid measures after ingestion : Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.
- Self-protection of the first-aider : Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms : Itching. Rashes. Hives. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

- Note to physicians : May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : CAUTION: Use of water spray when fighting fire may be inefficient.

5.2. Special hazards arising from the substance or mixture

- Specific hazards arising from the chemical : Product is or contains a sensitizer. May cause sensitization by skin contact.
- Hazardous combustion products : Oxides of carbon.

5.3. Advice for firefighters

- Protection during firefighting : Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- Other information : Refer to protective measures listed in Sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.

6.2. Methods and material for containment and cleaning up

- Methods for containment : Prevent further leakage or spillage if safe to do so.
- Methods for cleaning up : Pick up and transfer to properly labeled containers.
- Prevention of secondary hazards : Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

Quartz (14808-60-7)		
ACGIH	ACGIH TWA (mg/m ³)	TWA: 0.025 mg/m ³ (respirable fraction)

Seal Coat System Part B

Safety Data Sheet

according to the Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012.

OSHA	OSHA PEL (TWA) (mg/m ³)	TWA: 0.1 mg/m ³ (vacated)
NIOSH	NIOSH IDLH (mg/m ³)	IDLH: 50 mg/m ³ (respirable dust) TWA: 0.05 mg/m ³ (respirable dust)

Cement, portland, chemicals (65997-15-1)		
ACGIH	ACGIH TWA (mg/m ³)	TWA: 1 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica (respirable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m ³)	TWA: 15 mg/m ³ (total dust) TWA: 5 mg/m ³ (respirable fraction) (vacated) TWA: 10 mg/m ³ (total dust) (vacated) TWA: 5 mg/m ³ (respirable fraction) TWA: 50 mppcf <1% Crystalline silica
NIOSH	NIOSH IDLH (mg/m ³)	IDLH: 5000 mg/m ³ TWA: 10 mg/m ³ (total dust) TWA: 5 mg/m ³ (respirable dust)

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other exposure guidelines : Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

8.2. Exposure controls

Appropriate engineering controls : Showers. Eyewash stations. Ventilation systems.

Hand protection : Wear suitable gloves. Impervious gloves.

Eye protection : Wear safety glasses with side shields (or goggles). If splashes are likely to occur, wear safety glasses with side-shields.

Skin and body protection : Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection : No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Other information : Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Powder(s); Solid

Appearance : Gray

Color : No data available

Odor : Characteristic

Odor threshold : No data available

pH : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : No data available

Explosion limits : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Vapor pressure : No data available

Relative density : No data available

Water Solubility : Virtually insoluble

Relative vapor density at 20°C : No data available

Solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Viscosity, kinematic : No data available

Seal Coat System Part B

Safety Data Sheet

according to the Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012.

Viscosity, dynamic : No data available

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Hazardous polymerization

Hazardous polymerization does not occur.

10.5. Conditions to avoid

None known based on information supplied.

10.6. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.7. Hazardous decomposition products

May include, and not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on likely routes of exposure

Inhalation : Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.

Eye contact : Specific test data for the substance or mixture is not available. Irritating to eyes. (based on components). Causes serious eye irritation.

Skin contact : May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes skin irritation.

Ingestion : Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

11.2. Information on toxicological effects

Symptoms : Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

11.3. Numerical measure of toxicity

Unknown toxicity : 100 % of the mixture consists of ingredient(s) of unknown toxicity

11.4. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation : Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation : Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization : May cause sensitization by skin contact.

Germ cell mutagenicity : No information available.

Carcinogenicity : Classification based on data available for ingredients. Contains a known or suspected carcinogen.

Quartz (14808-60-7)	
ACGIH	A2 - Suspected human carcinogen
IARC	Group 1 - Carcinogenic to humans
National Toxicology Program (NTP)	Known – Known carcinogens
OSHA	X- Present

Reproductive toxicity : No information available.

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated exposure) : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity : The environmental impact of this product has not been fully investigated.

12.2. Persistence and degradability

No information available.

Seal Coat System Part B

Safety Data Sheet

according to the Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012.

12.3. Bioaccumulative

There is no data for this product.

12.4. Mobility

No information available.

12.5. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products : Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging : Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

SECTION 14: Transport information

14.1 Department of Transportation (DOT)

In accordance with DOT.

Not regulated for transport.

14.2. Additional information

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15: Regulatory information

15.1. US Federal regulations

SARA 313: Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Acute health hazard	Chronic health hazard	Fire hazard	Sudden release of pressure hazard	Reactive hazard
Yes	Yes	No	No	No

CWA (Clean Water Act): This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (CWA) (40 CFR 122.21 and 40 CFR 122.42).

CERCLA: This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of the material.

15.2. US State regulations

This product contains the following Proposition 65 chemicals:

Name	California Proposition 65
Quartz (14808-60-7)	Carcinogen

15.3. US State Right-To-Know regulations

This product may contain substances regulated by state right-to-know regulations.

Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Quartz (14808-60-7)	X	X	X		X
Cement, portland, chemicals (65997-15-1)	X	X	X		

SECTION 16: Other information

Date of issue : 06/17/2007

Revision date : 05/03/2017

Other information : None

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.